Naručitelj/Concracting Authority: DI-EL d.o.o., Žegoti 30a, 51 215 Kastav / *DI-EL d.o.o., Žegoti 30a, 51 215 Kastav*
Predmet nabave/Subject of procurement: 3D laserski printer za titan / *3D laser printer for titanium*

Sukladno točki 5.11. Dokumentacije za nadmetanje, nakon pregleda i ocjene ponuda, DI-EL d.o.o., Žegoti 30a, 51 215 Kastav , donosi sljedeću

According to point 5.11. Bidding documents, after review and evaluation of bids, DI-EL d.o.o., Žegoti 30a, 51 215 Kastav, brings the following

ODLUKU O ODBIJANJU PONUDE / *DECISION ON REJECTION OF THE BID*

I. Odbija se ponuda ponuditelja 3WAY d.o.o., Štalčeva 5, 1215 Medvode, R Slovenija podnijeta u postupku nabave javnim nadmetanjem za predmet nabave: „3D laserski printer za titan", Ev. broj nabave: 01/2022.

I.The bid of the bidder 3WAY d.o.o., Štalčeva 5, 1215 Medvode, R Slovenia, submitted in the procurement procedure by public tender for the subject of procurement: "3D laser printer for titanium", Ev. procurement number: 01/2022.

Obrazloženje / *Explanation*

Naručitelj je pokrenuo postupak javne nabave javnim nadmetanjem u pogledu predmeta nabave: : „3D laserski printer za titan", Evidencijski broj nabave: 01/2022. Predmet nabave nije podijeljen u grupe. Ponuditelj je pravovremeno poslao ponudu te je ista pregledana od strane Povjerenstva za nabavu.

The contracting authority initiated the public procurement procedure by public tender regarding the subject of procurement:: "3D laser printer for titanium", Procurement registration number: 01/2022. The subject of procurement is not divided into groups. The bidder sent the bid in a timely manner and it was reviewed by the Procurement Committee.

Uvidom u ponudu Povjerenstvo za nabavu je utvrdilo da ponuditelj nudi uređaj Metal 3D printer EP-M260 Metal 3D Printer Dual Laser1 koji ima dvostruku optičku jedinicu s maksimalnim promjerom snopa 80-120 µm, umjesto traženih 55 µm, slijedom čega tehničke karakteristike ponuđenog uređaja ne odgovaraju traženim tehničkim specifikacijama iz natječajne dokumentacije. Uvidom u Prilog 2 Tehničke specifikacije utvrđeno je da je ponuditelj izmijenio tekst tehničkih specifikacija što je protivno točki 5.2. Dokumentacije za nadmetanje.

After reviewing the bid, the Procurement Committee determined that the bidder offers a device 3D 3D printer EP-M260 Metal 3D Printer Dual Laser1 which has a dual optical unit with a maximum beam diameter of 80-120 µm, instead of the required 55 µm, therefore the technical characteristics of the device do not match required technical specifications from the tender documentation. Insight into Annex 2 of the Technical Specification shows that the bidder has changed the text of the technical specifications, which is contrary to point 5.2. Bidding documents.

Točkom 5.11. Dokumentacije za nadmetanje propisano je da će naručitelj odbiti ponudu:

- koja ne ispunjava obvezne tehničke zahtjeve određene u dokumentaciji za nadmetanje.

Item 5.11. The bidding documents stipulate that the contracting authority will reject the bid:

- which does not meet the mandatory technical requirements specified in the tender documentation.

Slijedom navedenog sukladno točki 5.11. Poziva na dostavu ponude odlučeno je kao pod točkom I Odluke.

Accordingly, in accordance with item 5.11. The invitation to submit a bid was decided as under item I of the Decision.

Kastav, 15. lipnja/*June* 2022. godine

Direktor/Director

Damir Ištvančić

DI-EL d.o.o. KASTAV